

Hex Head Cap Screws

Class 10.9 Zinc Yellow



Coarse Thread. Medium carbon alloy steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 10 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are zinc yellow finish.

M5 - 0.8 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
10MM	2023337	0.57	100
20MM	2023338	0.85	100
25MM	2023339	1.01	100

M8 - 1.25 DIN 931

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
80MM	1402184	7.87	50

M6 - 1.00 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
12MM	1490074	1.01	100
16MM	1490059	1.16	100
18MM	2013836	1.24	100
20MM	1490067	1.31	100
25MM	1490076	1.54	100
30MM	1490089	1.78	100
35MM	1490097	2.02	100
40MM	1490109	2.25	100
45MM	1490119	2.49	100
50MM	1490129	2.73	100
55MM	2023949	3.43	100
60MM	1490149	3.20	100
65MM	2007457		50
70MM	1490167	3.68	50
100MM	1490159	5.07	50

M8 - 1.25 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
10MM	1491040	2.00	100
12MM	1491047	2.07	100
16MM	1491057	2.34	100
20MM	1491067	2.62	100
25MM	1491077	2.95	100
30MM	1491087	3.37	100
35MM	1491097	3.79	100
40MM	1491109	4.21	50
45MM	1491117	4.63	50
50MM	1491127	5.05	50
55MM	2005548	5.49	50
60MM	1491147	5.91	50
65MM	1491157	6.28	50
70MM	1491169	6.75	50
75MM	1491177	7.16	50
90MM	1491187	8.42	25
100MM	1491210	9.26	25
110MM	1491227	10.47	25
120MM	1491247	11.33	25
130MM	2001429	12.24	25
150MM	1491287	13.45	25

M6 - 1.00 DIN 933

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
10MM	2004710	0.89	100

M6 - 1.00 DIN 931

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
80MM	1401189	4.10	50

Reference numbers and part weights are provided as a reference only.
 Actual part weight may vary from weights shown.

Hex Head Cap Screws

Class 10.9 Zinc Yellow



Coarse Thread. Medium carbon alloy steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 10 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are zinc yellow finish.

M10 - 1.50 ANSI			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
14MM	1492033	3.83	50
16MM	1492057	4.06	50
20MM	1492066	4.48	50
25MM	1492077	5.03	50
30MM	1492087	5.56	50
35MM	1492097	6.22	50
40MM	1492107	6.88	50
45MM	1492117	7.54	50
50MM	1492127	8.20	25
55MM	1492137	8.86	25
60MM	1492147	9.52	25
65MM	1492157	10.21	25
70MM	1492167	10.87	25
75MM	1492177	11.53	25
80MM	1492187	12.19	25
90MM	1492207	13.51	25
100MM	1492217	14.83	25
110MM	1492227	16.16	10
120MM	1492237	17.48	10
130MM	1492247	18.80	10
140MM	1492359	20.12	10
150MM	1492367	21.45	10
160MM	1482477	22.77	10
200MM	1492537	28.06	10
215MM	1492542	30.04	10

M12 - 1.75 ANSI			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
20MM	1493069	6.59	50
25MM	1493077	7.39	50
30MM	1493087	8.16	25
35MM	1493097	8.95	25
40MM	1493107	10.80	25
45MM	1493110	11.75	25
50MM	1493127	12.72	25
55MM	1493137	13.66	25
60MM	1493147	14.62	25
65MM	1493157	15.58	25
70MM	1493167	16.53	25
75MM	2003205	17.48	10
80MM	1493187	18.43	10
85MM	2012303	19.40	10
90MM	1493207	20.35	10
100MM	1493217	22.27	10
110MM	1493227	24.25	10
120MM	1493237	26.01	10
130MM	1493247	27.93	10
140MM	1493249	29.98	10
150MM	1493253	31.53	10
220MM	1493337	44.31	5
240MM	1493347	47.84	5

M12 - 1.75 DIN 931			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
45MM	2009094	11.81	25

M12 - 1.75 DIN 960			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
70MM	2013463	16.76	25

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com

Hex Head Cap Screws

Class 10.9 Zinc Yellow



Coarse Thread. Medium carbon alloy steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 10 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are zinc yellow finish.

M14 - 2.00 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
20MM	2023340	9.83	25
25MM	1494079	10.89	25
30MM	2023245	11.99	25
35MM	1494099	13.05	25
40MM	1494107	14.13	25
45MM	1495113	15.43	25
50MM	2000105	16.73	10
55MM	1494137	18.03	10
60MM	2008261	19.36	10
70MM	2002873	21.96	10
75MM	2000612	23.14	10
80MM	2008262	24.47	10
85MM	1992893	25.79	10
90MM	2000284	27.12	10
100MM	2008263	29.76	10
110MM	2008264	32.41	10
115MM	2000285	33.73	10
130MM	2000575	37.25	10
170MM	2001701	48.06	5

M14 - 2.00 DIN 933

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
25MM	2001180	11.68	25
30MM	2012193	12.76	25

M14 - 2.0 DIN 931

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
120MM	2023950		10

M16 - 1.5 DIN 960

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
70MM	2013469	31.31	10
80MM	2013470	34.61	10

M16 - 2.00 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
25MM	1495060	15.43	25
30MM	1495087	16.89	10
35MM	1495101	18.32	10
40MM	1495110	19.75	10
45MM	1495117	21.25	10
50MM	1495126	22.93	10
55MM	1495121	24.69	10
60MM	1495147	26.46	10
65MM	1495160	28.00	10
70MM	1495167	29.76	10
75MM	1495177	31.52	10
80MM	1495187	33.29	10
85MM	1495190	34.83	10
90MM	1495207	36.60	10
100MM	1495217	40.12	5
110MM	1495227	43.43	5
120MM	1495237	46.96	5
130MM	1495249	50.04	5
140MM	1495257	53.35	5
150MM	1495267	56.88	5
160MM	1495277	60.18	5
170MM	1495287	63.51	5
180MM	1495299	68.34	5
190MM	1495307	71.87	5
200MM	1495317	75.40	5
250MM	1495367	88.60	1

M16 - 1.50 ISO 8676

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
60MM	2013468	26.90	10

M16 - 1.5 DIN 961

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	2013465	17.66	10
40MM	2013466	20.72	10
50MM	2013467	23.81	10

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

Hex Head Cap Screws

Class 10.9 Zinc Yellow



Coarse Thread. Medium carbon alloy steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 10 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are zinc yellow finish.

M18 - 2.50 ANSI			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
40MM	2008265	26.45	10
50MM	2008266	29.98	10
60MM	2008267	33.73	10
70MM	2022894	39.82	5
80MM	2008268	44.09	5
90MM	2022895	50.60	5
100MM	2008269	52.91	5
110MM	2022896	61.60	5
120MM	2008270	61.72	5
130MM	2023217	65.12	5
140MM	2023218	69.52	5
150MM	2023219	73.92	5
160MM	2023951	78.48	5

M18 - 2.50 DIN 933			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
50MM	1467907	29.98	10

M20 - 2.50 DIN 933			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
45MM	1415115	36.37	10
100MM	1413092	61.50	5

M20 - 2.50 ANSI			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	1496087	29.32	10
40MM	1469107	33.95	10
45MM	1467903	36.16	10
50MM	1496134	38.36	10
55MM	1496137	40.79	5
60MM	1496147	43.43	5
65MM	1496157	46.08	5

M20 - 2.50 ANSI continued			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
70MM	1496167	48.72	5
75MM	1496177	51.58	5
80MM	1496187	54.23	5
85MM	1496189	56.87	5
90MM	1496207	59.52	5
100MM	1496217	64.81	5
110MM	1496227	70.11	5
120MM	1496237	75.39	5
130MM	1496247	80.25	1
140MM	1496257	85.76	1
150MM	1496267	91.05	1
160MM	1826721	96.34	1
170MM	1496287	101.63	1
180MM	1496297	101.63	1
190MM	1496307	112.43	1
200MM	1496317	116.62	1
210MM	1496329	121.03	1
220MM	1496337	131.61	1
230MM	1496344	133.70	1
240MM	1496359	150.00	1
250MM	1496367	155.26	1
270MM	1496375	160.27	1

M22 - 2.50 ISO 4014			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
80MM	2007041	69.08	5
90MM	1497507	75.69	5
100MM	2023952	81.00	1
110MM	1497747	88.18	1
120MM	1497757	94.79	1
130MM	1497807	98.20	1
140MM	1497817	105.82	1
150MM	2023953	112.44	1
160MM	1497827	122.40	1
170MM	1996133	125.66	1
180MM	1991923	131.50	1

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com

Hex Head Cap Screws

Class 10.9 Zinc Yellow



Coarse Thread. Medium carbon alloy steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 10 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly.

M22 - 2.50 ISO 4017			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
50MM	1497692	48.00	5
60MM	1497697	53.80	5
80MM	2005833	80.00	5

M22 - 2.50 DIN 931			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
70MM	2003080	50.92	5
100MM	2023395	81.40	5

M24 - 3.00 DIN 933			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
100MM	1413200	93.26	1

M24 - 3.00 ANSI			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
40MM	2023246	53.68	5
50MM	1497129	59.75	5
60MM	1497151	66.36	5
65MM	1497157	69.88	5
70MM	1497169	73.63	5
90MM	2000720	89.07	1
90MM	2000720	89.07	1
100MM	1413200	93.26	1
100MM	1497217	96.78	1
110MM	1497227	104.50	1
120MM	1497237	112.22	1
130MM	1497249	119.27	1
140MM	1497259	126.99	1
150MM	1497269	134.70	1

M24 - 3.00 continued on next column

M24 - 3.00 continued			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
160MM	1497277	142.41	1
180MM	2000624	157.85	1
190MM	1496377	165.56	1
200MM	1497317	171.51	1
210MM	1497327	179.23	1
230MM	1497349	194.66	1
250MM	1467367	213.18	1
270MM	1497607	229.00	1
290MM	1497385	232.59	1
310MM	1497390	256.50	1
330MM	1497407	264.10	1

M24 - 3.00 DIN 931			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
80MM	1497187	81.35	5

M30 - 3.50 ANSI			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
140MM	1498257	210.76	1
180MM	1995853	257.94	1
220MM	1498267	304.23	1
260MM	2010255	352.74	1
320MM	1996123	426.80	1

M30 - 3.50 DIN 931			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
130MM	1415303	202.82	1

Reference numbers and part weights are provided as a reference only.
Actual part weight may vary from weights shown.

Hex Head Cap Screws

Class 10.9 Zinc Yellow



Fine Thread. Medium carbon alloy steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 10 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly.

M10 - 1.25 ANSI			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
50MM	1999966	8.20	25

M10 - 1.25 DIN 960			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
55MM	2009160	9.74	25

M12 - 1.25 ANSI			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
65MM	1407147	15.58	25
115MM	1407151	25.13	10

M14 - 1.50 DIN 961			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
50MM	1411127	17.76	10

M16 - 1.50 ANSI			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	2008871	16.88	10
65MM	2005690	27.99	10
120MM	2010063	46.95	10
130MM	1495422	50.04	10

M16 - 1.50 DIN 961			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
35MM	2006175	19.20	10

M18 - 1.50 ANSI			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
110MM	2011892	57.00	5

M18 - 2.00 DIN 961			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
50MM	2000791	31.08	10

M20 - 1.50 ANSI			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
45MM	1496112	36.15	5
50MM	2007482	38.36	5
90MM	2005253	59.52	5
100MM	1817087	64.81	5
150MM	1992332	91.05	1
200MM	1826354	116.62	1

M22 - 1.50 ISO 8765			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
50MM	1497100	51.24	5

M24 - 2.00 ANSI			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
180MM	1497291	157.85	1

Reference numbers and part weights are provided as a reference only.
 Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com