

## Hex Head Cap Screws

Class 8.8 Zinc Black



**Coarse Thread.** Medium carbon steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 8 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are zinc black finish.

### M6 - 1.00 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
20MM	1490061	1.31	100
80MM	1490189	4.17	50

### M8 - 1.25 DIN 933

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	1402086	3.41	100

### M8 - 1.25 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	1491092	3.37	100
35MM	1993838	3.79	100

### M10 - 1.50 DIN 933

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	1404082	5.77	50

## Hex Head Cap Screws

Class 8.8 Black Poly



**Coarse Thread.** Medium carbon steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 8 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are Black Poly finish.

### M6 - 1.00 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
25MM	1999957	1.54	100

## Hex Head Cap Screws

Class 8.8 Polyseal



**Coarse Thread.** Medium carbon steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 8 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly.

### M8 - 1.25 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
20MM	1491069	2.62	100

Reference numbers and part weights are provided as a reference only.  
 Actual part weight may vary from weights shown.

## Hex Head Cap Screws

Class 8.8 Dacromet®

Dacromet® is trademark of the Diamond Shamrock Corporation.



**Coarse Thread.** Medium carbon steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 8 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly.

### M6 - 1.00 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
12MM	2006135	1.01	100
16MM	2006136	1.16	100
20MM	2007787	1.31	100
25MM	2004952	1.54	100

### M8 - 1.25 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
25MM	2004967	2.95	100
30MM	2006138	3.37	100
35MM	2009768	3.79	100
40MM	2006139	4.21	100
55MM	2006140	5.49	50

### M10 - 1.50 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
20MM	2006137	4.48	100

## Hex Head Cap Screws

Class 8.8 320BK



**Extra Fine Thread.** Medium carbon steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 8 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly.

### M12 - 1.25 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	1407089	8.15	25

Reference numbers and part weights are provided as a reference only.  
Actual part weight may vary from weights shown.

1-888-232-1010  
fax: (563) 441-6760

[www.TrinityHardwareHQ.com](http://www.TrinityHardwareHQ.com)  
[sales@TrinityHardwareHQ.com](mailto:sales@TrinityHardwareHQ.com)

# Hex Head Cap Screws

Class 8.8 Zinc Trivalent Clear with Sealer



**Coarse Thread.** Medium carbon steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 8 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are zinc trivalent clear with sealer.

<b>M5 - .8 DIN 931</b>			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	2014551	1.24	100
40MM	2014552	1.58	100

<b>M6 - 1.00 ANSI</b>			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
12MM	2014624	1.01	100
16MM	2014565	1.16	100
20MM	2014566	1.31	100
25MM	2014623	1.54	100
30MM	2014567	1.78	100
35MM	2014568	2.02	100
45MM	2014622	2.49	100
50MM	2014570	2.73	100
70MM	2014571	3.68	50

<b>M6 - 1.00 DIN 933</b>			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
40MM	2015446	2.03	100

<b>M8 - 1.25 ANSI</b>			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
16MM	2014613	2.34	100
20MM	2014572	2.62	100
25MM	2014573	2.95	100
30MM	2014574	3.37	100
35MM	2014576	3.79	100
55MM	2014577	5.49	50
60MM	2014625	5.91	50
70MM	2014553	6.75	50
90MM	2014578	8.42	25
200MM	2015141	17.67	10

<b>M10 - 1.50 ANSI</b>			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
16MM	2014579	4.06	50
20MM	2014580	4.48	50
25MM	2014581	5.03	50
30MM	2014583	5.56	50
35MM	2014585	6.22	50
40MM	2014586	6.88	50
45MM	2014587	7.54	50
50MM	2014588	8.20	25
60MM	2014589	9.52	25
70MM	2014590	10.87	25
80MM	2014591	12.19	25
110MM	2014592	16.16	10
120MM	2014593	17.48	10

<b>M12 - 1.75 ANSI</b>			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
25MM	2014616	7.39	50

<b>M16 - 2.00 ANSI</b>			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
40MM	2014600	19.75	10

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

## Hex Head Cap Screws

Class 8.8 Zinc Phosphate & Oil



**Coarse Thread.** Medium carbon steel, quenched and tempered in accordance with SAE J1199 material requirements and ANSI/ASME B18.2.3.1m dimensional tolerances. Compatible with class 10 hex nuts, all metal lock nuts or nylon insert locknuts. Metric mild-steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly.

### M6 - 1.00 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
20MM	2015465	1.31	100

### M8 - 1.25 DIN 933

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
20MM	1402050	2.71	100

### M6 - 1.00 DIN 933

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	1401086	1.65	100

### M10 - 1.50 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
30MM	2006973	5.56	50

### M8 - 1.25 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
25MM	1491072	2.95	100
70MM	1491166	6.75	50
80MM	1491180	7.58	50

### M16 - 2.00 ANSI

Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
100MM	1495212	40.12	5

Reference numbers and part weights are provided as a reference only.  
 Actual part weight may vary from weights shown.

1-888-232-1010  
 fax: (563) 441-6760

[www.TrinityHardwareHQ.com](http://www.TrinityHardwareHQ.com)  
[sales@TrinityHardwareHQ.com](mailto:sales@TrinityHardwareHQ.com)