

Hex Head Cap Screws

SAE Grade 5 J429 Zinc Clear



Coarse Thread. Medium carbon steel, quenched and tempered in accordance with SAE J429 material requirements and ANSI/ASME B18.2.1 dimensional tolerances. Compatible with UNC grade 5 hex nuts, all metal lock nuts or nylon insert locknuts. USS or SAE mild steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are zinc clear finish.

1/4 - 20			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/8"	1001007	1.05	100
1/2"	1055000	1.18	100
3/4"	1055004	1.44	100
7/8"	2021060	1.57	100
1"	1055008	1.74	100
1 1/4"	2008061	2.08	100
1 1/2"	1055012	2.43	100
1 3/4"	2008062	2.77	100
2"	1055016	3.12	100
2 1/4"	1055018	3.46	50
2 1/2"	1055020	3.81	50
2 3/4"	2009225	4.15	50
3"	1055024	4.50	50
3 1/4"	2023939	4.84	50
3 1/2"	1055028	5.19	50
3 3/4"	2009224	5.53	50
4"	1055032	5.88	50
4 1/2"	2009223	6.57	50
5"	1055036	7.26	50
5 1/2"	2009222	7.95	25
6"	1055040	8.64	25

5/16 - 18 continued			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3 3/4"	2009220	8.75	25
4"	1055132	9.29	25
4 1/2"	2008067	10.37	25
5"	1055136	11.44	25
5 1/2"	2008068	12.52	25
6"	1055140	13.59	25
7"	2009219	15.74	10

5/16 - 18			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	2008063	1.99	100
3/4"	1055104	2.41	100
1"	1055108	2.83	100
1 1/4"	1055110	3.37	100
1 3/8"	2002285	3.64	50
1 1/2"	1055112	3.91	50
1 3/4"	2008064	4.45	50
2"	1055116	4.99	50
2 1/4"	2008065	5.52	50
2 1/2"	1055120	6.06	50
2 3/4"	2008066	6.60	50
3"	1055124	7.14	50
3 1/4"	1055126	7.68	25
3 1/2"	1055128	8.21	25

5/16 - 18 continued on next column

3/8 - 16			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	1055200	2.93	100
3/4"	1055204	3.55	100
7/8"	1055206	3.86	100
1"	1055208	4.17	50
1 1/8"	1006061	4.52	50
1 1/4"	1055210	4.86	50
1 3/8"	1006081	5.25	50
1 1/2"	1055212	5.64	50
1 3/4"	1055214	6.42	50
2"	1055216	7.19	50
2 1/4"	2008069	7.97	50
2 1/2"	1055220	8.74	25
2 3/4"	2003485	9.52	25
3"	1055224	10.30	25
3 1/4"	2008070	11.07	25
3 1/2"	1055228	11.85	25
3 3/4"	2009176	12.62	25
4"	1055232	13.40	25
4 1/2"	2008071	14.95	25
5"	1055236	16.50	25
5 1/2"	2008072	18.06	10
6"	1055240	19.61	10
6 1/4"	2023493	20.38	10
6 1/2"	2008073	21.16	10
7"	2008074	22.71	10
8"	2008075	25.81	10
9"	2009173	28.91	10
10"	2009985	32.01	5
12"	2009172	38.21	1

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

Hex Head Cap Screws

SAE Grade 5 J429 Zinc Clear



Coarse Thread. Medium carbon steel, quenched and tempered in accordance with SAE J429 material requirements and ANSI/ASME B18.2.1 dimensional tolerances. Compatible with UNC grade 5 hex nuts, all metal lock nuts or nylon insert locknuts. USS or SAE mild steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are zinc clear finish.

7/16 - 14			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	2020237	5.08	50
7/8"	2015578	5.50	50
1"	1055304	5.92	50
1 1/4"	2008076	6.76	50
1 1/2"	1055308	7.82	50
1 3/4"	2008077	8.88	25
2"	1055312	9.94	25
2 1/4"	2008078	11.00	25
2 1/2"	1055316	12.06	25
2 3/4"	2009171	13.12	25
3"	1055320	14.18	25
3 1/4"	2015181	15.24	25
3 1/2"	1055324	16.30	10
3 3/4"	2023940	17.36	10
4"	1055328	18.41	10
4 1/2"	2008079	20.53	10
5"	1055332	22.65	10
5 1/2"	2008080	24.77	10
6"	1055336	26.89	10
7"	2008081	31.13	5
8"	2008082	35.37	5

1/2 - 13			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	2008083	8.10	50
1"	1055405	9.22	25
1 1/4"	1055406	10.34	25
1 1/2"	1055408	11.59	25
1 3/4"	1055410	12.97	25
2"	1055412	14.35	25
2 1/4"	2008084	15.73	25
2 1/2"	1055416	17.11	10
2 3/4"	2004628	18.49	10
3"	1055421	19.87	10
3 1/4"	2008085	21.25	10
3 1/2"	1055424	22.63	10
3 3/4"	1055426	24.01	10
4"	1055429	25.39	10

1/2 - 13 continued on next column

1/2 - 13 continued			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
4 1/2"	2008086	28.15	10
5"	1055432	30.91	10
5 1/2"	1055434	33.67	10
6"	1055436	36.43	10
6 1/2"	1011313	39.19	5
7"	2008087	41.95	5
7 1/2"	2008088	44.71	5
7 3/4"	1011364	46.09	5
8"	2003486	47.47	5
8 1/2"	2008089	50.23	5
9"	2008090	52.99	5
10"	2008091	58.51	5
11"	2008092	64.03	1
12"	2008093	69.55	1

9/16 - 12			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	2008094	11.28	25
1 1/4"	2023941	12.71	25
1 1/2"	2008095	14.14	25
1 3/4"	2003651	15.89	25
2"	1055508	17.64	10
2 1/4"	2009233	19.39	10
2 1/2"	2008096	21.14	10
2 3/4"	2023942	22.90	10
3"	2008097	24.65	10
3 1/2"	2008098	28.15	10
3 3/4"	2022878	29.90	10
4"	2009350	31.65	10
4 1/2"	1055526	35.15	10
5"	1055528	38.65	10
6"	2009232	45.66	10

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010
fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com

Hex Head Cap Screws

SAE Grade 5 J429 Zinc Clear



Coarse Thread. Medium carbon steel, quenched and tempered in accordance with SAE J429 material requirements and ANSI/ASME B18.2.1 dimensional tolerances. Compatible with UNC grade 5 hex nuts, all metal lock nuts or nylon insert locknuts. USS or SAE mild steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are zinc clear finish.

5/8 - 11			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	1055600	15.16	25
1 1/4"	1055602	16.93	10
1 1/2"	1055604	18.70	10
1 3/4"	2008099	20.66	10
2"	1055608	22.82	10
2 1/4"	1055610	24.97	10
2 1/2"	1055612	27.13	10
2 3/4"	2008100	29.28	10
3"	1055616	31.44	10
3 1/4"	1055618	33.59	10
3 1/2"	1055620	35.75	10
3 3/4"	2009271	37.90	10
4"	1055624	40.06	5
4 1/2"	1055626	44.37	5
5"	1055628	48.68	5
5 1/2"	1055630	52.99	5
6"	1055632	57.30	5
6 1/2"	2008101	61.61	5
7"	2008102	65.92	5
7 1/2"	2008103	70.23	5
8"	2008104	74.54	5
9"	2008105	83.16	5
10"	2008106	91.78	1
11"	2008107	100.40	1
12"	2008108	109.02	1

3/4 - 10 continued			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3 3/4"	1055722	56.89	5
4"	1055724	60.00	5
4 1/2"	2008112	66.22	5
5"	1055728	72.44	5
5 1/2"	2008113	78.66	5
6"	1055732	84.88	1
6 1/2"	1019313	91.10	1
7"	1019336	97.32	1
7 1/2"	2008114	103.54	1
8"	2008115	109.76	1
9"	2003483	122.20	1
9 1/2"	2010260	128.42	1
10"	2008116	134.64	1
11"	2008117	147.08	1
12"	2008118	159.52	1

3/4 - 10			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	1055700	24.46	25
1 1/4"	2009169	27.06	10
1 1/2"	1055704	29.66	10
1 3/4"	2008109	32.26	10
2"	1055708	35.12	10
2 1/4"	2008110	38.23	10
2 1/2"	1055712	41.34	5
2 3/4"	2008111	44.45	5
3"	1055716	47.56	5
3 1/4"	1055718	50.67	5
3 1/2"	1055720	53.78	5

7/8 - 9			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/2"	2009168	45.64	10
2"	2008119	51.06	5
2 1/4"	2007125	54.96	5
2 1/2"	1055808	59.19	5
2 3/4"	2008120	63.42	5
3"	2008121	67.65	5
3 1/4"	2021603	71.88	5
3 1/2"	2008122	76.11	5
4"	2008123	84.57	1
4 1/2"	1055822	93.03	1
5"	2008124	101.49	1
5 1/2"	2008125	109.95	1
6"	2008126	118.41	1
6 1/2"	2008127	126.86	1
7"	2008128	135.31	1
8"	2008129	152.21	1
9"	1022414	169.11	1
10"	2008130	186.01	1
11"	2021604	202.91	1
12"	2021605	219.81	1

3/4 - 10 continued on next column

Reference numbers and part weights are provided as a reference only.
Actual part weight may vary from weights shown.

Hex Head Cap Screws

SAE Grade 5 J429 Zinc Clear



Coarse Thread. Medium carbon steel, quenched and tempered in accordance with SAE J429 material requirements and ANSI/ASME B18.2.1 dimensional tolerances. Compatible with UNC grade 5 hex nuts, all metal lock nuts or nylon insert locknuts. USS or SAE mild steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are

1 - 8			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/2"	1055900	60.78	10
2"	1055904	70.14	5
2 1/4"	2023943	74.82	5
2 1/2"	1055908	79.92	5
3"	2008131	90.96	1
3 1/2"	2008132	102.00	1
3 3/4"	2023944	107.52	1
4"	2008133	113.04	1
4 1/2"	1055922	124.08	1
5"	2008134	135.12	1
5 1/2"	2008135	146.16	1
6"	2008136	157.20	1
6 1/2"	1025313	168.25	1
7"	2008137	179.30	1
8"	2008138	201.40	1
9"	2008139	223.50	1
10"	2008140	245.60	1
11"	2008142	267.70	1
12"	2008141	288.00	1

1 1/8 - 7			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
7"	2023945	231.40	1

1 1/4 - 7			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3"	2021606	154.40	1
3 1/2"	1031194	171.70	1
4"	2020448	188.90	1
4 1/2"	2021607	206.20	1
5"	2021608	223.50	1
6"	2008143	258.10	1
7"	2008144	292.70	1
8"	2008145	327.30	1
9"	2008146	361.90	1

Reference numbers and part weights are provided as a reference only.
 Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com

Hex Head Cap Screws

SAE Grade 5 J429 Zinc Clear



Fine Thread. Medium carbon steel, quenched and tempered in accordance with SAE J429 material requirements and ANSI/ASME B18.2.1 dimensional tolerances. Compatible with UNC grade 5 hex nuts, all metal lock nuts or nylon insert locknuts. USS or SAE mild steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are zinc clear finish.

1/4 - 28			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	2019692	1.18	100
3/4"	2023700	1.44	100
1"	2019950	1.74	100
1 1/4"	2019692	2.08	100
1 1/2"	1002094	2.43	100
1 3/4"	2023701	2.77	100
2"	2019951	3.12	50
2 1/4"	2023702	3.46	50
2 1/2"	2023703	3.81	50
2 3/4"	2023704	4.15	50
3"	2023705	4.50	50
3 3/4"	2023849	5.53	50
4"	2017569	5.88	50

5/16 - 24			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	2015498	1.99	100
3/4"	2023706	2.41	100
1"	2019952	2.83	100
1 1/4"	2015499	3.37	100
1 1/2"	1004094	3.91	50
1 3/4"	2023850	4.45	50
2"	2019953	4.99	50
2 1/4"	2023707	5.52	50
2 1/2"	2023708	6.06	50
2 3/4"	2023851	6.60	50
3"	2019954	7.14	50
3 1/4"	2018385	7.68	25
3 1/2"	2023709	8.21	25
3 3/4"	2023852	8.75	25
4"	2019955	9.29	25
4 1/2"	2023853	10.37	25
5"	2023854	11.44	25

3/8 - 24			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2"	2023855	2.93	100
3/4"	2023710	3.55	100
1"	2008147	4.17	50

3/8 - 24 continued			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/4"	1007074	4.86	50
1 1/2"	2005871	5.64	50
1 3/4"	2023711	6.42	50
2"	2023712	7.19	50
2 1/4"	2023713	7.97	50
2 1/2"	1007154	8.74	25
2 3/4"	2023714	9.52	25
3"	2023342	10.03	25
3 1/4"	2023856	11.07	25
3 1/2"	2012229	11.85	25
3 3/4"	2023857	12.62	25
4"	2023343	13.40	25
4 1/2"	2023715	14.95	25
5"	2023716	16.50	25
5 1/2"	2013981	18.06	10
6"	2023717	19.61	10

7/16 - 20			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	2017524	5.08	50
1"	2023719	5.92	50
1 1/4"	2023344	6.76	50
1 1/2"	1009091	7.82	50
1 3/4"	2023720	8.88	25
2"	2023345	9.94	25
2 1/4"	2018482	11.00	25
2 1/2"	2023721	12.06	25
2 3/4"	2023859	13.12	25
3"	2019956	14.18	25
3 1/4"	2023860	15.24	25
3 1/2"	2023722	16.30	10
3 3/4"	2023861	17.36	10
4"	2023723	18.41	10
4 1/2"	2023724	20.53	10
5"	2023725	22.65	10
5 1/2"	2023726	24.77	10
6"	2023727	26.89	10

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

Hex Head Cap Screws

SAE Grade 5 J429 Zinc Clear



Fine Thread. Medium carbon steel, quenched and tempered in accordance with SAE J429 material requirements and ANSI/ASME B18.2.1 dimensional tolerances. Compatible with UNC grade 5 hex nuts, all metal lock nuts or nylon insert locknuts. USS or SAE mild steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are zinc clear finish.

1/2 - 20			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4"	2023728	8.10	50
1"	2008148	9.22	25
1 1/4"	2023346	10.34	25
1 1/2"	2009272	11.59	25
1 3/4"	2010768	12.97	25
2"	2008149	14.35	25
2 1/4"	1012144	15.73	25
2 1/2"	2019957	17.11	10
2 3/4"	2023347	18.49	10
3"	2008150	19.87	10
3 1/4"	2023862	21.25	10
3 1/2"	2009273	22.63	10
3 3/4"	2023863	24.01	10
4"	2023729	25.39	10
4 1/2"	2023730	28.15	10
5"	1012254	30.91	10
5 1/2"	2023731	33.67	10
6"	2023732	36.43	10
6 1/2"	2023864	39.19	5
7"	2023865	41.95	5

9/16 - 18			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	2023866	11.28	25
1 1/4"	2023867	12.71	25
1 1/2"	2002810	14.14	25
1 3/4"	2023868	15.89	25
2"	2023869	17.64	10
3"	2019948	24.65	10
3 1/2"	2023870	28.15	10
4"	2023871	31.65	10
5"	2023872	38.65	10

5/8 - 18			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/4"	2023733	16.93	10
1 1/2"	2023734	18.70	10
1 3/4"	2008151	20.66	10
2"	2008152	22.82	10
2 1/2"	2008153	27.13	10
2 3/4"	2023873	29.28	10
3"	2008154	31.44	10
3 1/2"	2008155	35.75	10
3 3/4"	2023874	37.90	10
4"	2019326	65.92	5
4 1/2"	2023735	44.37	5
5"	1017254	48.68	5
5 1/2"	2023736	52.99	5
6"	2008156	57.30	5
6 1/2"	2023875	61.61	5
7"	2017570	65.92	5
8"	2008157	74.54	5

3/4 - 16			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1"	2023737	24.46	10
1 1/2"	2023738	29.66	10
2"	2008158	35.12	10
2 1/4"	2023876	38.23	10
2 1/2"	2008159	41.34	5
2 3/4"	2009276	44.45	5
3"	2008160	47.56	5
3 1/2"	2008161	53.78	5
4"	2008162	60.00	5
4 1/2"	2023739	66.22	5
5"	2023104	72.44	5
5 1/2"	1020274	78.66	5
6"	2009277	84.88	1
6 1/2"	2023348	91.10	1
8"	2008163	109.76	1

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010
fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com

Hex Head Cap Screws

SAE Grade 5 J429 Zinc Clear



Fine Thread. Medium carbon steel, quenched and tempered in accordance with SAE J429 material requirements and ANSI/ASME B18.2.1 dimensional tolerances. Compatible with UNC grade 5 hex nuts, all metal lock nuts or nylon insert locknuts. USS or SAE mild steel or hardened flat washers as well as helical spring lock washers may also be used with these cap screws for a complete assembly. Cap screws are zinc clear finish.

7/8 - 14			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
2"	2023877	51.06	5
2 1/4"	2023740	54.96	5
2 1/2"	2023741	59.19	5
2 3/4"	2023742	63.42	5
3"	2008164	69.69	5
3 1/4"	2023878	71.88	5
3 1/2"	2023879	76.11	5
3 3/4"	2023880	80.34	5
4"	2023881	84.57	1
4 1/2"	2023882	93.03	1
5"	2009278	103.52	1
5 1/2"	2023883	109.95	1
6"	2008165	120.78	1

1 - 14			
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity
2"	2023743	70.14	5
2 1/4"	2023744	74.82	5
2 3/4"	2023745	85.44	1
3"	2019330	90.96	1
4 1/2"	1026234	124.08	1

Reference numbers and part weights are provided as a reference only.
 Actual part weight may vary from weights shown.