

Finished Hex Nuts

SAE J995 Grade 8 Plain Finish



Hex nuts for applications of all types. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances. Suitable for use with grade 8 shaker screen bolts, B7 alloy threaded rod, grade 8 hex head cap screws, and other grade 8 bolts. Meets or exceed SAE J995 Grade 8 specifications.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 20	1301018	0.74	100
5/16 - 18	1301038	1.10	100
3/8 - 16	1301058	1.60	100
7/16 - 14	1301078	2.84	100
1/2 - 13	1301108	3.75	100
5/8 - 11	1301188	7.33	50
3/4 - 10	1301228	11.90	25
7/8 - 9	1301268	19.00	10
1 - 8	1301308	28.30	10
1 1/8 - 7	1301348	40.30	10
1 1/4 - 7	1301388	54.30	10
1 1/2 - 6	1301468	94.30	5

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	1301028	0.73	100
5/16 - 24	1301048	1.10	100
3/8 - 24	1301068	1.60	100
7/16 - 20	1301088	2.84	100
1/2 - 20	1301128	3.75	100
5/8 - 18	1301208	7.33	100
3/4 - 16	1301248	11.90	25
7/8 - 14	1301288	19.00	10
1 - 14	1301328	28.30	10
1 1/8 - 12	1301368	40.30	10
1 1/4 - 12	1301408	54.30	10
1 1/2 - 12	1301488	94.30	5
1 3/4 - 12	1301568	151.00	1

Finished Hex Nuts

SAE J429 Grade 8 Magni 565 Grey



Meets or exceeds SAE J995 Grade 8 specifications. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4 - 10	1994054	11.90	25
1 - 8	1998177	28.30	10

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8 - 18	1998175	7.33	50

Finished Hex Nuts

SAE J429 Grade 8 MacuGuard 10% [Zinc Yellow]



Meets or exceeds SAE J995 Grade 8 specifications. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/4 - 16	1381249	11.90	25

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

Finished Hex Nuts

SAE J995 Grade 8 Zinc Phosphate & Oil



Meets or exceeds SAE J995 Grade 8 specifications. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/16 - 18	1301037	1.10	100
3/8 - 16	1301060	1.60	100
7/16 - 14	1301077	2.84	100
1/2 - 13	1301110	3.75	100
5/8 - 11	1301187	7.33	50
3/4 - 10	1831090	11.90	25
7/8 - 9	1301260	19.00	10
1 - 8	1301310	28.30	10
1 1/8 - 7	1301350	40.30	10
1 1/2 - 6	1301453	94.30	5

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/16 - 24	1301040	1.10	100
7/16 - 20	1301089	2.84	100
1/2 - 20	1301120	3.75	100
3/4 - 16	1301247	11.90	25

Finished Hex Nuts

SAE J995 Grade 8 Zinc Yellow



Hex nuts for applications of all types. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances. Suitable for use with B7 alloy threaded rod, grade 8 hex head cap screws or other grade 8 bolts. Meets or exceed SAE J995 Grade 8 specifications.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 20	1381018	0.74	100
5/16 - 18	1381038	1.10	100
3/8 - 16	1381058	1.60	100
7/16 - 14	1381078	2.84	100
1/2 - 13	1381108	3.75	100
9/16 - 12	2008011	5.83	50
5/8 - 11	1381188	7.33	50
3/4 - 10	1381228	11.90	25
7/8 - 9	1381268	19.00	10
1 - 8	1381308	28.30	10
1 1/8 - 7	1381348	40.30	10
1 1/4 - 7	1381388	54.30	10
1 3/8 - 6	2015539	73.00	5
1 1/2 - 6	2008012	94.30	5

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	1381028	0.74	100
5/16 - 24	2021138	1.10	100
3/8 - 24	1381068	1.60	100
7/16 - 20	1969416	2.84	100
1/2 - 20	1381128	3.75	100
9/16 - 18	1833541	5.83	50
5/8 - 18	1381208	7.33	50
3/4 - 16	1381248	11.90	25
7/8 - 14	2015203	19.00	10
1 - 14	2008018	28.30	10
1 1/8 - 12	1381368	40.30	10
1 1/4 - 12	1381408	54.30	10
1 1/2 - 12	2023138	97.30	5

Finished Hex Nuts

SAE J995 Grade 8 Zinc Clear

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 1/2 - 12	2022775	97.30	5

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com

Finished Hex Nuts

SAE J995 Grade 2 Zinc Yellow



Meets or exceeds SAE J995 Grade 2 specifications. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/8 - 16	2002063	1.60	100
1/2 - 13	2002056	3.75	100

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
7/16 - 20	1381082	2.84	100

Finished Hex Nuts

SAE J995 Grade 2 Zinc Yellow with Nylon Pellet



Meets or exceeds SAE J995 Grade 2 specifications. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/8 - 16	1301059	1.60	100

Finished Hex Nuts- Large Dia.

Grade 8/ASTM A194 2H Plain Finish

Coarse Thread. Alloy steel, quenched and tempered in accordance with SAE J429 material requirements and ANSI/ANSI B18.2.1 dimensional tolerances.

Size	Part Number	Lbs. Per Piece	Package Quantity
1 1/4 - 7	1301388	0.543	10
1 1/2 - 6	1301468	0.943	5
1 3/4 - 5	1301548	1.510	1
2 - 4½	1301628	2.240	1



Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010
 fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com