

Finished Slotted Hex Nuts
 SAE J995 Grade 5 Plain Finish



General use parts for fastening and locking. Locking feature achieved with use of a cotter pin through slot. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 20	1351015	0.60	100
5/16 - 18	1351035	0.94	100
3/8 - 16	1351055	1.31	100
1/2 - 13	1351105	3.16	100
5/8 - 11	1351185	6.07	50
3/4 - 10	1351225	10.30	25
7/8 - 9	1351265	17.10	10
1 - 8	1351305	25.00	10
1 1/8 - 7	1351345	35.80	10
1 1/4 - 7	1351385	47.50	10
1 1/2 - 6	2002549	82.90	5

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 28	1351025	0.60	100
5/16 - 24	1351045	0.94	100
3/8 - 24	1351065	1.31	100
1/2 - 20	1351125	3.16	100
9/16 - 18	1351165	4.94	50
5/8 - 18	1351205	6.07	50
3/4 - 16	1351245	10.30	25
7/8 - 14	1351285	17.10	10
1 - 14	1351325	25.00	10
1 1/8 - 12	1351365	35.80	10
1 1/4 - 12	1351405	47.50	10
1 3/8 - 12	1351445	65.50	10
1 1/2 - 12	1351485	82.90	5
2 - 12	1351645	224.00	1
2 1/2 - 12	1351725	435.00	1

Extra Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 - 20	1351335	25.00	10



Finished Slotted Hex Nuts
 SAE J995 Grade 5 Zinc Yellow



General use parts for fastening and locking. Locking feature achieved with use of a cotter pin through slot. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/8 - 16	1351054	1.31	100
7/16 - 14	1351074	2.36	100
1/2 - 13	1351107	3.16	100
5/8 - 11	1351190	6.07	50
3/4 - 10	1351224	10.30	25
1 - 8	1351300	25.00	10
1 1/8 - 7	1351346	35.80	10
1 1/4 - 7	2023367	47.50	10
1 1/2 - 6	1351464	82.90	5

Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
3/8 - 24	1351066	1.31	100
1/2 - 20	1351124	3.16	100
9/16 - 18	1351170	4.94	50
5/8 - 18	1351194	6.07	50
3/4 - 16	1351240	10.30	25
7/8 - 14	1351284	17.10	10
1 - 14	1351320	25.00	10
1 1/8 - 12	1351360	35.80	10
1 3/8 - 12	1351440	65.50	10
1 1/2 - 12	1351484	82.90	5

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

Finished Slotted Hex Nuts

SAE J995 Grade 2



General use parts for fastening and locking. Locking feature achieved with use of a cotter pin through slot. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Zinc Clear Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/4 - 20	2024145	0.60	100
3/4 - 10	2024146	10.30	25
7/8 - 9	1351260	17.10	10
1 1/8 - 7	2024147	35.80	10
1 1/4 - 7	2024148	47.50	10
1 1/2 - 6	2024149	82.90	5

Zinc Clear Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
7/16 - 20	1351081	2.36	100
5/8 - 18	1351201	6.07	50
7/8 - 14	2009365	17.10	10
1 - 8	2009366	25.00	10

Plain Finish Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8 - 11	1351182	6.07	50

Zinc Yellow Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
5/8 - 11	1351181	6.07	50

Zinc Yellow Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2 - 20	1351123	3.16	100
5/8 - 18	2013290	6.07	50
1 - 14	1351323	25.00	10
1 1/8 - 12	1351363	35.80	10
1 1/4 - 12	1351403	47.50	10

Zinc Yellow Extra Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 - 20	1831080	25.00	10

Plain Finish Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1/2 - 20	2017477	3.16	100
5/8 - 18	1351202	6.07	50
3/4 - 16	1814291	10.30	25
7/8 - 14	2000840	17.10	10
1 1/2 - 12	1351482	82.90	5

Finished Slotted Hex Nuts

SAE J995 Grade 5 Magni 565 Grey



General use parts for fastening and locking. Locking feature achieved with use of a cotter pin through slot. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
1 - 8	1998211	25.00	10

Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

Finished Slotted Hex Nuts

SAE J995 Grade 8 Zinc Yellow



General use parts for fastening and locking. Locking feature achieved with use of a cotter pin through slot. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Coarse Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
7/8 - 14	1351280	17.10	10

Finished Slotted Hex Nuts

Class 8



General use parts for fastening and locking. Locking feature achieved with use of a cotter pin through slot. Manufactured in accordance with SAE J995 material requirements and ASME B18.2.2 dimensional tolerances.

Zinc Yellow Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M24 - 1.5	2001776	29.80	10
M30 - 1.5	2001779	64.40	5

DIN 935 Zinc Yellow Fine Thread			
Size	Part Number	Lbs. Per 100 Pcs.	Package Quantity
M20 - 1.5	1481470	16.57	25

Plain Finish 16MM W.A.F. Coarse Thread				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
M10 - 1.5	1833374	2.00	100	400607A1



Finished Slotted Hex Nuts

1137 Steel Plain Finish



General use parts for fastening and locking. Locking feature achieved with use of a cotter pin through slot.

Fine Thread				
Length	Part Number	Lbs. Per 100 Pcs.	Package Quantity	Reference Part No.
7/8 - 14	1991997	17.10	100	359040R1



Reference numbers and part weights are provided as a reference only. Actual part weight may vary from weights shown.

1-888-232-1010
fax: (563) 441-6760

www.TrinityHardwareHQ.com
sales@TrinityHardwareHQ.com



TRINITY™
SUPPLY CHAIN SOLUTIONS 339
20100706/issue 3/rev. a